

NJDEP Certified Laboratory No. 14964
973-335-CALI
FAX 973-335-0556
E-MAIL: calilabs@earthlink.net
WEBSITE: www.calilabs.com

COMPLETE ANALYSIS LABORATORIES INC.

Ms. Sonal Thakar
Amneal Pharmaceutical Corp.
209 McLean Blvd.
Paterson, NJ 07054

1259 Route 46, Building #4/C
Parsippany, NJ 07054-4909

ANALYSIS REPORT

REPORT DATE: FEB.24,2009

PROJECT NO : 914002

LAB ID NO: 914002.1

FIELD ID NO: AP-0210

Sample: Liquid, Sampled by CALI on 2/10/09

Parameter	Method No	Result (mg/L)	Analysis Date Time	RLs (mg/L)	DF
BOD ₅	405.1	380	2/12/09 7:39	2.0	1
TSS	160.2	62.4	2/17/09 8:00	4.0	1

Definitions:

pH Unit, J= Compound Detected but Below MDL, RLs= Laboratory Reporting Limits,
MDL= Method Detection Limit, DF= Dilution Factor, ND = Not Detected, RL = MDL x DF

Approved By:

Zvi Blank, Ph.D., CHMM
Laboratory Director

The Standard of Excellence in Laboratory Service



METHOD USED

TOTAL WATER USED

$7,755.0 (2/28/09) - 7,655.0 (2/1/09) = 100 \text{ CF1} \times 7.48 \times 100 = 74,800/20 \text{ DAYS} = 3,740 \text{ Total Flow - Gal/Day.}$

SANITARY USED

$1,857.0 (2/28/09) - 1,806.0 (2/1/09) = 51 \times 7.48 \times 100 = 38,148/20 \text{ DAYS} = 1,907 \text{ Flow - Gal/Day.}$

$$\text{REGULATORY/TOTAL} = 1,833/3,740 = 0.5$$

SITE PLAN: NO CHANGE



METHOD USED

TOTAL WATER USED

$7,755.0 (2/28/09) - 7,655.0 (2/1/09) = 100 \text{ CF1} \times 7.48 \times 100 = 74,800/20 \text{ DAYS} = 3,740 \text{ Total Flow - Gal/Day.}$

SANITARY USED

$1,857.0 (2/28/09) - 1,806.0 (2/1/09) = 51 \times 7.48 \times 100 = 38,148/20 \text{ DAYS} = 1,907 \text{ Flow - Gal/Day.}$

$$\text{REGULATORY/TOTAL} = 1,833/3,740 = 0.5$$

SITE PLAN: NO CHANGE



March 17, 2009

Mr. Andy Caltagirone
Manager of Industrial & Pollution Control
Passaic Valley Sewerage Commissioners
600 Wilson Ave.
Newark, NJ 07105

Dear Mr. Caltagirone:

Enclosed are MR-2 and MR-1 periodic compliance monitoring reports, which are due on 3/21/09 and 4/4/09, respectively.

Thank you.

Sincerely yours,

for: Sreeni Rao
Jiten Parikh
Vice President

209 MCLEAN BLVD. • PATERSON, NJ • 07504

PHONE: 973-357-0222 • FAX: 973-357-0230

WWW.AMNEAL.COM